EASY OFF-ROAD

Gear Up Right. Explore with Confidence.

CT01

HARD POP-UP ROOF CABIN



ELECTRIC
Lift system

168 mm
Folded height

ALUMINUM
Alloy material

Gear Up Right. Explore with Confidence.

01 / CONSTRUCTION

Built around electric lift.

A rigid hard shell with an electric lifting mechanism and a slim folded profile.



Electric lifting system

The CT01 uses an electric lifting mechanism to raise the cabin roof.

Aluminum alloy material

Aluminum alloy construction with a hard shell exterior and framed wall panels.

Vehicle-powered setup

Connect to the vehicle cigarette lighter socket for power.



LOW-PROFILE FOLDED FORM




SHELL LATCH DETAIL

02 / INTERIOR

Lighting. Rest. Fresh air.

An equipped interior for time spent at camp, with integrated lighting and a foam mattress.



02

Built-in LED light strips

Two integrated strips provide interior illumination.

3 cm

Standard foam mattress

A 30 mm foam mattress is included as standard.

Sliding windows

Sliding windows, window mesh and ventilation openings are part of the cabin configuration.



03 / DETAILS

The everyday essentials.

A closer look at the CT01 windows, ventilation, power connection and interior.



01 / SLIDING WINDOW

Sliding window design.



02 / VENTILATION

Dedicated ventilation opening.



03 / POWER CONNECTION

Vehicle power input connection.



04 / INTERIOR

LED lighting and mattress area.

04 / TECHNICAL DATA

CT01 specifications.

Product dimensions and standard equipment at a glance.

Model	**CT01**
Product name	HARD POP-UP ROOF CABIN
Material	Aluminum alloy
Folded dimensions	**2150 x 1300 x 168 mm**
Open dimensions	**1900 x 1260 x 900 mm**
Power source	Vehicle cigarette lighter socket
Interior lighting	**2 built-in LED light strips**
Mattress	**3 cm (30 mm) foam mattress, standard**
Windows	Sliding windows with window mesh
Ventilation	Ventilation openings
Charging	Charging port
Mounting hardware	**6 mounting brackets, standard**
Optional add-on	**Balcony extension (optional)**



FOLDED



OPEN

Dimensions are listed as supplied. Confirm measurement references and vehicle mounting compatibility before ordering. Studio-retouched images show a display configuration; truck canopy and stand are for demonstration. Confirm ladder and accessory supply scope with the quotation.


05 / DIMENSIONS

Every dimension, visualized.

Folded and open dimensions shown with length, width and height callouts.


FOLDED

2150 x 1300 x 168 mm



OPEN

1900 x 1260 x 900 mm



All dimensions in mm. Schematic views are not to scale. Values are supplied dimensions; confirm the open/folded measurement references and vehicle fitment before ordering.

Gear Up Right. Explore with Confidence.


06 / SUNROOF ACCESS

A connection from within.

Illustrative route between the cabin interior and a compatible vehicle sunroof.



CONNECTION CONCEPT



Align the cabin access opening with a compatible sunroof to create an interior access route.

Illustrative reference image. Actual CT01 opening layout, alignment and access clearance must be confirmed for the vehicle and mounting setup.

Gear Up Right. Explore with Confidence.

07 / OPTIONAL BALCONY

Add a balcony to your cabin.

A balcony extension is available as an optional add-on for the CT01.



OPTIONAL ADD-ON

Choose the balcony option when specifying your cabin configuration.

Studio-retouched product image. Balcony is optional; confirm the configuration when ordering.